


**TEMA ISENMANN**

## P3 Pinless Fastening Systems





Screening & Wear Solutions

## P3 Pinless Panel Fastening System




The Multotec P3 Pinless Panel Fastening System simplifies panel maintenance operations. Only the panel and compatible Saddle Top™ are required to fasten the screen panel to the deck. Fewer steps ensure more efficient maintenance and improved operator safety. The P3 system has been designed to have minimal installation and removal forces, yet maximum panel fastening forces to keep the panels in place.




### View on bottom of panel


The P3 system ensures a positive fastening mechanism, providing effective retention of the panel with minimal movement to ensure reliable operation in the field. Additionally, the P3 system builds on the benefits of the established H-Pinning system whereby panels are locked together to prevent gaps forming between panels. This prevents damaging particle intrusion.



**Step 1**




**Step 2 + 3**




**Step 4 + 5**


Installation is accomplished in 5 steps: the actual placement of the panel and then seating the four corners of the panel. Panel installation can be done with a hammer, or merely standing on the panel. Some conventional panels require up to 18 steps to install.



**Step 1 + 2**



**Step 3 + 4**




**Step 5**

Removal is accomplished with a thru-shaft screwdriver or prybar. Lifting two of the corners will unclip the panel from the P3 protrusions on the saddle. The panel is then peeled off the deck by hand.

All Multotec 305 sq. panels are compatible with P3 pinning. The full range of apertures is available in Hi-Flow and standard configurations. Panels can be manufactured with skidbars, retarder bars, weirbars and deflectors. Consult your sales engineer for details.

The P3 combines all the benefits of the established Multotec Saddle Top™ system, including replaceable screen support surfaces, quick changeouts and interchangeability between existing and traditional fastening systems.





**TEMA ISENMANN**

**Screening Solutions**  
**Call (859) 252-0613**  
**Email: [sales@temaisenmann.com](mailto:sales@temaisenmann.com)**



**Visit [www.temaisenmann.com](http://www.temaisenmann.com) to learn more!**